

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : BUILDERS MATE Acid Brick Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Cleaner

Title	Use descriptors
Professional Use (ES Ref.: ES-1)	SU20, SU23, PROC1, PROC2, PROC3, PROC4, PROC8a, PROC10, PROC11, PROC13, PROC15, PROC19, ERC8a, ERC8b, ERC8e

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Emerald Clover Ltd.
Drumduffy
Drumkeeran
N41 T998 Co. Leitrim - Ireland
T +353-(0)71-96-48008
info@emeraldclover.ie - www.emeraldclover.ie

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1, Sub-Category 1A H314
Serious eye damage/eye irritation, Category 1 H318
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H335

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS07

Signal word (CLP)

: Danger

Contains

: hydrochloric acid 25-38%

Hazard statements (CLP)

: H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

Precautionary statements (CLP)

: P261 - Avoid breathing fume, gas, mist, spray, vapours.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

P405 - Store locked up.

2.3. Other hazards

The product does not meet the PBT and vPvB classification criteria

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrochloric acid substance with a Community workplace exposure limit (Note B)	(CAS-No.) 7647-01-0 (EC-No.) 231-595-7 (EC Index-No.) 017-002-01-X (REACH-no) 01-2119484862-27	≥ 25 – < 40	Skin Corr. 1B, H314 STOT SE 3, H335

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Hydrochloric acid	(CAS-No.) 7647-01-0 (EC-No.) 231-595-7 (EC Index-No.) 017-002-01-X (REACH-no) 01-2119484862-27	(10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C ≤ 100) STOT SE 3, H335 (25 ≤C ≤ 100) Skin Corr. 1B, H314

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label.

Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-statements: see section 16

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. Seek medical attention immediately. Call a physician immediately.
First-aid measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Give oxygen or artificial respiration if necessary.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Immediately call a POISON CENTER/doctor. Cover wounds with sterile bandage.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: If swallowed, seek medical advice immediately and show this container or label. Rinse mouth. Do not induce vomiting. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May cause severe burns.
Symptoms/effects after inhalation	: Cough. Shortness of breath. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes severe burns. May produce skin irritation, blistering, ulcers, and deep scarring.
Symptoms/effects after eye contact	: Causes serious eye damage. May cause dermatitis, eye irritation, corneal oedema and chemical burns. Can cause blindness.
Symptoms/effects after ingestion	: Severe irritation or burns to the mouth, throat, oesophagus, and stomach. May perforate the oesophagus or the digestive tract. Blood in vomit.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Foam. Dry powder. Carbon dioxide. Use extinguishing agent suitable for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Burning produces irritating, toxic and noxious fumes.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Very flammable gas (hydrogen) may be formed on contact with metals.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. hydrogen chloride.

5.3. Advice for firefighters

Precautionary measures fire	: Stop leak if safe to do so.
Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection. Exercise caution when fighting any chemical fire. Fight fire with normal precautions from a reasonable distance. Move containers away from the fire area if this can be done without risk. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing. Wear fire/ flame resistant/retardant clothing. EN 469. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all contact with skin, eyes, or clothing. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Do not breathe vapours. Do not get in eyes, on skin, or on clothing. Evacuate unnecessary personnel. Do not touch or walk on the spilled product. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Avoid breathing (dust, vapor, mist, gas). Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Stop leaks if it can be done without personal risk. Dilute with water. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Absorb remaining liquid with sand or inert absorbent and remove to safe place.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Provide good ventilation in process area to prevent formation of vapour. Do not breathe spray, mist, vapours. Do not re-use container for any purpose. Empty containers retain product residue and can be hazardous. Do not mix with other chemicals. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Keep away from food, drink and animal feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from food, drink and animal feedingstuffs. Store in original container or corrosive resistant and/or lined container. Keep container tightly closed. Containers which are opened should be properly resealed and kept upright to prevent leakage. Store away from other materials. do not store in unlabelled containers. Store in a well-ventilated place. Keep cool. Store in corrosive resistant container with a resistant inner liner.

Incompatible products : Strong acids. Light metals. alcohols. halogenated hydrocarbons.

Incompatible materials : Direct sunlight. Heat sources. Metals.

Storage area : Store in dry, cool, well-ventilated area.

Special rules on packaging : Unsuitable packaging materials: aluminium, zinc, copper.

Packaging materials : Polyvinyl Chloride. Polyethylene. polypropylene.

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

BUILDERS MATE Acid Brick Cleaner	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Hydrogen chloride
IOEL TWA [ppm]	5 ppm
IOEL STEL	15 mg/m ³
IOEL STEL [ppm]	10 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

Hydrochloric acid (7647-01-0)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Hydrogen chloride
IOEL TWA [ppm]	5 ppm
IOEL STEL	15 mg/m ³
IOEL STEL [ppm]	10 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Ireland - Occupational Exposure Limits	
Local name	Hydrogen chloride
OEL TWA [1]	8 mg/m ³
OEL TWA [2]	5 ppm
OEL STEL	15 mg/m ³
OEL STEL [ppm]	10 ppm
Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021

8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Workplace atmospheres. Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy. Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. Refer to all applicable national, international and local regulations or provisions.

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Handle in accordance with good industrial hygiene and safety procedures.

8.2.2. Personal protection equipment

Personal protective equipment:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield. Safety glasses. EN 166. Do not wear contact lenses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. Impermeable boots and protective equipment. EN 943. Skin protection appropriate to the conditions of use should be provided

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Polychloroprene. Butyl rubber. Polyvinylchloride (PVC). Breakthrough time: 6 (> 480 minutes). Thickness 0.5 mm. Nitrile rubber gloves. Breakthrough time: 6 (> 480 minutes). Thickness 0.35 mm. Fluorinated rubber. Breakthrough time: 6 (> 480 minutes). Thickness 0.4 mm

Other skin protection

Materials for protective clothing:

PPE compliant to the recommended EN/ISO standards should be selected.

8.2.2.3. Respiratory protection

Respiratory protection:

An approved organic vapour respirator/supplied air or self-contained breathing apparatus must be used when vapour concentration exceeds applicable exposure limits. EN141. Combination filter:B-P2

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Prevent entry to sewers and public waters. Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: Pungent.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -42 °C 32% solution, -29 °C37% solution
Boiling point	: -80 °C 32% solution, 45°C 37% solution

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

Flammability	: Not applicable
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: < 1 (20 °C)
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 30 hPa(a) (20 °C) 32% solution, 200 hPa(20 °C) 37% solution
Vapour pressure at 50 °C	: Not available
Density	: 1.15 g/cm ³ (20°C) 30% solution, 1.17 g/cm ³ (20°C) 35% solution, 1.18 g/cm ³ (20°C) 37% solution
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Very flammable gas (hydrogen) may be formed on contact with metals. May be corrosive to metals.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Exothermic reaction on contact with : water. Strong bases. Hazardous polymerisation: Will not occur.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong bases. Organic materials. alcohols. Hydrocarbons, halogenated. metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Hydrochloric acid (7647-01-0)	
LD50 oral rat	2222 mg/kg
LD50 dermal rabbit	5010 mg/kg
LC50 Inhalation - Rat	45.6 mg/l

Skin corrosion/irritation : Causes severe skin burns.
pH: < 1 (20 °C)
Serious eye damage/irritation : Causes serious eye damage.
pH: < 1 (20 °C)
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Hydrochloric acid (7647-01-0)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : May cause respiratory irritation.

Hydrochloric acid (7647-01-0)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)
Not rapidly degradable
Additional information : No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

Hydrochloric acid (7647-01-0)	
LC50 - Fish [1]	20.5 mg/l (Lepomis macrochirus; 24 h)
EC50 - Crustacea [1]	0.45 mg/l (Daphnia magna; 48 h) (OECD Test Guideline 202)
EC50 72h - Algae [1]	0.73 mg/l (Chlorella vulgaris (Fresh water algae); 72 h) (End point: Growth rate; OECD Test Guideline 201)

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

12.2. Persistence and degradability

BUILDERS MATE Acid Brick Cleaner	
Persistence and degradability	Inorganic product which cannot be eliminated from water by biological purification processes.

12.3. Bioaccumulative potential

BUILDERS MATE Acid Brick Cleaner	
Bioaccumulative potential	No bioaccumulation potential.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

BUILDERS MATE Acid Brick Cleaner	
The product does not meet the PBT and vPvB classification criteria	

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : May cause pH changes in aqueous ecological systems
Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal via incineration is recommended. Neutralisation is necessary before draining of to the purification plant. Disposal must be carried out using appropriate EWC code.

Sewage disposal recommendations : Do not dispose of waste into sewer. Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information






In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1789	UN 1789	UN 1789	UN 1789	UN 1789
14.2. UN proper shipping name				
HYDROCHLORIC ACID	HYDROCHLORIC ACID (2-aminoethanol)	Hydrochloric acid (2-aminoethanol)	HYDROCHLORIC ACID (2-aminoethanol)	HYDROCHLORIC ACID (2-aminoethanol)
Transport document description				
UN 1789 HYDROCHLORIC ACID, 8, II, (E)	UN 1789 HYDROCHLORIC ACID (2-aminoethanol), 8, II	UN 1789 Hydrochloric acid (2-aminoethanol), 8, II	UN 1789 HYDROCHLORIC ACID (2-aminoethanol), 8, II	UN 1789 HYDROCHLORIC ACID (2-aminoethanol), 8, II
14.3. Transport hazard class(es)				
8	8	8	8	8

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet


according to Regulation (EU) 2020/878

				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C1
Special provisions (ADR) : 520
Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T8
Portable tank and bulk container special provisions (ADR) : TP2
Tank code (ADR) : L4BN
Tank special provisions (ADR) : TU42
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80
Orange plates :



Tunnel restriction code (ADR) : E

Transport by sea

Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
IBC special provisions (IMDG) : B20
Tank instructions (IMDG) : T8
Tank special provisions (IMDG) : TP2
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : C
Segregation (IMDG) : SGG1A, SG36, SG49
Properties and observations (IMDG) : Colourless liquid. An aqueous solution of the gas hydrogen chloride. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3
ERG code (IATA) : 8L

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

Inland waterway transport

Classification code (ADN)	: C1
Special provisions (ADN)	: 520
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C1
Special provisions (RID)	: 520
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T8
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Special provisions for RID tanks (RID)	: TU42
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable on	Entry title or description
3(b)	Hydrochloric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class
BCF	Bioconcentration factor
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
IARC	International Agency for Research on Cancer
OECD	Organisation for Economic Co-operation and Development
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
N.O.S.	Not Otherwise Specified
ED	Endocrine disrupting properties

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Supplier's safety documents.

Training advice : Training staff on good practice.

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

Other information : SDS prepared by. H2 Compliance.

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Full text of use descriptors	
ERC8a	Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8b	Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
ERC8e	Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)
PROC1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
PROC10	Roller application or brushing
PROC11	Non industrial spraying
PROC13	Treatment of articles by dipping and pouring
PROC15	Use as laboratory reagent
PROC19	Manual activities involving hand contact
PROC2	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4	Chemical production where opportunity for exposure arises
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
SU20	Health services
SU23	Electricity, steam, gas water supply and sewage treatment

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Weight of evidence
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

BUILDERS MATE Acid Brick Cleaner

Safety Data Sheet

according to Regulation (EU) 2020/878

Annex to the safety data sheet

Identified Uses	Es N°	Short title	Page
Professional Use	1	Professional Use	16

BUILDERS MATE Acid Brick Cleaner

Annex to the safety data sheet: Exposure scenario

Product form: Mixture Physical state: Liquid

1. ES-1 - Professional Use

1.1. Title section

Professional Use

ES Ref.: ES-1

ES Type: Worker

Environment	Use descriptors
Contributing scenario controlling environmental exposure	ERC8a, ERC8b, ERC8e

Worker	Use descriptors
Contributing scenario controlling worker exposure	PROC1, PROC2, PROC3, PROC4, PROC8a, PROC10, PROC11, PROC13, PROC15, PROC19

1.2. Conditions of use affecting exposure

1.2.1. Control of environmental exposure: Contributing scenario controlling environmental exposure (ERC8a, ERC8b, ERC8e)

ERC8a	Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8b	Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
ERC8e	Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)

Amount used, frequency and duration of use (or from service life)

Continuous release	360 days/yr
--------------------	-------------

Technical and organisational conditions and measures

Ensure all waste water is collected and treated via a WWTP, All contaminated waste water must be processed in an industrial or municipal wastewater treatment plant that incorporates both primary and secondary treatments.	
Prevent leaks and prevent soil / water pollution caused by leaks	

1.2.2. Control of worker exposure: Contributing scenario controlling worker exposure (PROC1, PROC2, PROC3, PROC4, PROC8a, PROC10, PROC11, PROC13, PROC15, PROC19)

PROC1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
PROC2	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4	Chemical production where opportunity for exposure arises
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC10	Roller application or brushing
PROC11	Non industrial spraying
PROC13	Treatment of articles by dipping and pouring
PROC15	Use as laboratory reagent
PROC19	Manual activities involving hand contact

BUILDERS MATE Acid Brick Cleaner

Annex to the safety data sheet: Exposure scenario

Product form: Mixture Physical state: Liquid

Product (article) characteristics	
Physical form of product	Liquid
Concentration of substance in product	≤ 40 %
Vapour pressure	Liquid, vapour pressure 0.5 - 10 kPa at Standard Temperature and Pressure

Amount used (or contained in articles), frequency and duration of use/exposure	
Varies between milliliters (sampling) and cubic meters (material transfers)	
Covers daily exposures up to 8 hours	5 days/week
Avoid carrying out operation for more than 15 minutes	(without respiratory protection PROC11, PROC19)
Avoid carrying out operation for more than 1 hour	(Without Local Exhaust Ventilation PROC15)
Avoid carrying out operation for more than 4 hours	(PROC 15)

Technical and organisational conditions and measures	
Handle substance within a closed system.(PROC1, PROC2, PROC3) Ensure material transfers are under containment or extract ventilation. (Efficiency: 90 %) (PROC2, PROC3, PROC4) Clear transfer lines prior to de-coupling. (PROC1, PROC2, PROC3, PROC4, PROC8a) Drain down and flush system prior to equipment opening or maintenance. (PROC3, PROC4) Use bulk or semi-bulk handling systems. Use drum pumps. (PROC4) Provide extraction ventilation at points where emissions occur. (Efficiency: 90 %) (PROC4, PROC8a, PROC11) Handle substance within a predominantly closed system provided with extract ventilation. (Efficiency: 90 %) (PROC8a) Provide a good standard of controlled ventilation (10 to 15 air changes per hour) (Efficiency: 90 %) (PROC10) Carry out in a vented booth provided with laminar airflow. Allow time for product to drain from workpiece. Automate activity where possible. (PROC13) Provide extract ventilation to material transfer points and other openings. (Efficiency: 90 %) (PROC13) Handle in a fume cupboard or under extract ventilation. Carry out in a vented booth or extracted enclosure. (Efficiency: 80 %) (PROC15)	
Provide basic employee training to prevent/minimize exposures. Ensure minimization of manual phases(PROC13). Avoid carrying out operation for more than 4 hours.(PROC15)	

Conditions and measures related to personal protection, hygiene and health evaluation	
Wear suitable coveralls to prevent exposure to the skin. Use suitable eye protection. Wear chemically resistant gloves. Wear suitable gloves tested to EN374.(PROC3, PROC10, PROC11, PROC13, PROC19) Wear a half face respirator conforming to EN140 Type A filter or better (PROC11, PROC19) Do not carry out the operation for more than 15 min. without respiratory protection (PROC11, PROC19) Wear suitable gloves tested to EN374. (PROC3) Wear a respirator conforming to EN140 with Type A filter or better.	

1.3. Exposure estimation and reference to its source

1.3.1. Environmental release and exposure Contributing scenario controlling environmental exposure (ERC8a, ERC8b, ERC8e)

Information for contributing exposure scenario
No exposure assessment presented for the environment, Substance will dissociate upon contact with water, the only effect is the pH effect, therefore after passing through the sewage treatment plant exposure is considered negligible and with no risk.

1.3.2. Worker exposure Contributing scenario controlling worker exposure (PROC1, PROC2, PROC3, PROC4, PROC8a, PROC10, PROC11, PROC13, PROC15, PROC19)

Information for contributing exposure scenario
Risk Management Measures are based on qualitative risk characterisation

BUILDERS MATE Acid Brick Cleaner

Annex to the safety data sheet: Exposure scenario

Product form: Mixture Physical state: Liquid

Route of exposure and type of effects	Exposure estimate	RCR	Method
Long term - Local - Inhalation	7.5 mg/m ³	0.9	PROC8a, PROC10, PROC13, PROC11, PROC19

1.4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the ES

1.4.1. Environment

No data available

1.4.2. Health

Guidance - Health	Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures. Where other Risk Management Measures/Operational Conditions are adopted, then users should ensure that risks are managed to at least equivalent levels. For further information on the assessment method, see: http://www.ecetoc.org/tra Only properly trained persons shall make use of scaling methods while checking whether the OC and RMM are within the boundaries set by the ES
-------------------	---