

Safety Data Sheet

according to Regulation (EU) 2020/878 Issue date: 10/2/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture Trade name : Grease Buster

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Cleaning/washing agents

1.2.2. Uses advised against

Restrictions on use : Any other purpose.

1.3. Details of the supplier of the safety data sheet

Emerald Clover Ltd.

Drumduffy

Drumkeeran

N41 T998 Co. Leitrim - Ireland

T +353-(0)71-96-48008

info@emeraldclover.ie - www.emeraldclover.ie

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|-------------------------------------|---------------|----------------------------|---------|
| Ireland | National Poisons Information Centre | PO Box 1297 | +353 1 809 2566 | |
| | Beaumont Hospital | Beaumont Road | (Healthcare professionals- | |
| | | 9 Dublin | 24/7) | |
| | | | +353 1 809 2166 (public, | |
| | | | 8am - 10pm, 7/7) | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Danger

: 2-aminoethanol; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. Contains

Hazard statements (CLP) : H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Safety Data Sheet

according to Regulation (EU) 2020/878

Precautionary statements (CLP)

: P102 - Keep out of reach of children.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

The product does not meet the PBT and vPvB classification criteria

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | Conc. | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|----------------|--|
| 2-aminoethanol | (CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 | ≥1-<2.5 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 |
| Tetrapotassium pyrophosphate | (CAS-No.) 7320-34-5 (EC-No.) 230-785-7 | ≥1-<2.5 | Eye Irrit. 2, H319 |
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. | (CAS-No.) 85536-14-7 (EC-No.) 287-494-3 | ≥1-<2.5 | Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412 |
| Sodium xylenesulphonate | (CAS-No.) 1300-72-7 (EC-No.) 215-090-9 | ≥1-<2.5 | Eye Irrit. 2, H319 |
| Alcohols, C12-14, ethoxylated | (CAS-No.) 68439-50-9 (EC-No.) 500-213-3 | ≥ 0.5 – < 1 | Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412 |
| Sodium hydroxide | (CAS-No.) 1310-73-2 (EC-No.) 215-185-5 | ≥ 0.1 – < 0.25 | Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 |

| Specific concentration limits: | | |
|--------------------------------|---|---|
| Name | Product identifier | Specific concentration limits |
| 2-aminoethanol | (CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 | (5 ≤C ≤ 100) STOT SE 3, H335 |
| Sodium hydroxide | (CAS-No.) 1310-73-2 (EC-No.) 215-185-5 | (0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314 |

Full text of H-statements: see section 16

Safety Data Sheet

according to Regulation (EU) 2020/878

First-aid measures after eye contact

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. Seek medical attention

immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If inhaled and if breathing is

difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If

experiencing respiratory symptoms: Call a POISON CENTER/doctor.

First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water.

: Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician

immediately.

First-aid measures after ingestion : If swallowed, seek medical advice immediately and show this container or label. Rinse

mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause severe burns.

Symptoms/effects after inhalation : Cough. Shortness of breath. May cause respiratory irritation. Symptoms/effects after skin contact : Causes skin irritation. Redness. Skin rash/inflammation. Itching.

Symptoms/effects after eye contact : Causes serious eye damage. May cause dermatitis, eye irritation, corneal oedema and

chemical burns. Can cause blindness. Serious damage to eyes.

Symptoms/effects after ingestion : Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Abdominal

pain, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Use extinguishing agent suitable for surrounding fire. Dry powder.

Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Burning produces irritating, toxic and noxious fumes.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Nitrogen oxides. Sulphur

oxides.

5.3. Advice for firefighters

Precautionary measures fire : Stop leak if safe to do so.

Firefighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection.

Exercise caution when fighting any chemical fire. Fight fire with normal precautions from a reasonable distance. Move containers away from the fire area if this can be done without

risk. Use water spray or fog for cooling exposed containers.

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing. Wear fire/flame

resistant/retardant clothing. EN 469. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

10/2/2021 (Issue date) EN (English) 3/13

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all contact with skin, eyes, or clothing. Prevent from entering sewers, basements and

workpits, or any place where its accumulation can be dangerous.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Do not breathe vapours. Do not get in eyes, on skin, or on clothing. Evacuate unnecessary

personnel. Do not touch or walk on the spilled product. Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Avoid breathing (dust, vapor, mist, gas). Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Stop leaks if it can be done without personal

risk. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Absorb remaining liquid with sand or

inert absorbent and remove to safe place.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Take all necessary technical measures to avoid

or minimize the release of the product on the workplace. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Provide good ventilation in process area to prevent formation of vapour. Do not breathe spray, mist, vapours. Do not re-use container for any purpose. Empty containers retain product residue and can be hazardous.

Do not mix with other chemicals. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product. Keep away from food, drink and animal

feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Keep away from food, drink and animal feedingstuffs. Store in original

container or corrosive resistant and/or lined container. Keep container tightly closed.

Containers which are opened should be properly resealed and kept upright to prevent leakage. Store away from other materials. do not store in unlabelled containers. Store in a

well-ventilated place. Keep cool.

Incompatible products : Oxidizing agent. Strong acids. Combustible materials. Metals.

Incompatible materials : Direct sunlight. Heat sources.

Storage area : Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

No additional information available

10/2/2021 (Issue date) EN (English) 4/13

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Grease Buster | | | |
|--|--|--|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | 2-Aminoethanol | | |
| IOEL TWA [ppm] | 1 ppm | | |
| IOEL STEL | 7.6 mg/m³ | | |
| IOEL STEL [ppm] | 3 ppm | | |
| Notes | Skin | | |
| Regulatory reference | COMMISSION DIRECTIVE 2006/15/EC | | |
| Ireland - Occupational Exposure Limits | | | |
| Local name | Sodium hydroxide | | |
| OEL TWA [1] | 2.5 mg/m³ | | |
| OEL TWA [2] | 1 ppm | | |
| OEL STEL | 2 mg/m³ | | |
| OEL STEL [ppm] | 3 ppm | | |
| Notes (IE) | Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) | | |
| Regulatory reference | Chemical Agents Code of Practice 2020 | | |

| Sodium hydroxide (1310-73-2) | |
|--|---------------------------------------|
| Ireland - Occupational Exposure Limits | |
| Local name | Sodium hydroxide |
| OEL STEL | 2 mg/m³ |
| Regulatory reference | Chemical Agents Code of Practice 2020 |

8.1.2. Recommended monitoring procedures

| Monitoring methods | |
|--------------------|--|
| | Workplace atmospheres. Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy. Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. Refer to all applicable national, international and local regulations or provisions. |

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Handle in accordance with good industrial hygiene and safety procedures.

8.2.2. Personal protection equipment

Personal protective equipment:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment. **Personal protective equipment symbol(s):**



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or face shield. EN 166. Do not wear contact lenses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. Impermeable boots and protective equipment. EN 943. Skin protection appropriate to the conditions of use should be provided

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves, natural rubber gloves. Butyl rubber. Neoprene. Breakthrough time: 6 (> 480 minutes). Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Other skin protection

Materials for protective clothing:

PPE compliant to the recommended EN/ISO standards should be selected.

8.2.2.3. Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. EN 143

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Prevent entry to sewers and public waters. Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : red.
Odour : Not available

Safety Data Sheet

according to Regulation (EU) 2020/878

Odour threshold : Not available Melting point : Not applicable : Not available Freezing point Not available Boiling point Flammability : Not applicable **Explosive limits** Not available Lower explosive limit (LEL) Not available Upper explosive limit (UEL) Not available Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available рΗ Not available Viscosity, kinematic Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available Density : 1.11 g/cm³ (20 °C) : Not available Relative density Relative vapour density at 20 °C : Not available : Not applicable Particle size Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state : Not applicable : Not applicable Particle agglomeration state Particle specific surface area : Not applicable Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Very flammable gas (hydrogen)may be formed on contact with metals. May be corrosive to metals.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids. Hazardous polymerisation: Will not occur.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids. Oxidizing agent. Combustible materials. Organic materials. Halogens. Metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

| Sodium xylenesulphonate (1300-72-7) | |
|-------------------------------------|--------------|
| LD50 oral rat | > 7000 mg/kg |
| LD50 dermal rabbit | > 200 mg/kg |

| Alcohols, C12-14, ethoxylated (68439-50-9) | |
|--|--|
| LD50 oral rat | > 2000 mg/kg OECD 401, EU Method B.1, Safepharm standard Method Number OECD 39 |
| LD50 dermal rat | > 2000 mg/kg OECD 402 |
| LC50 Inhalation - Rat | > 1.6 mg/l air OECD 403 |

| Tetrapotassium pyrophosphate (7320-34-5) | |
|--|--------------|
| LD50 oral rat | > 2000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |

| 2-aminoethanol (141-43-5) | |
|---------------------------|-----------------|
| LD50 oral rat | 1720 mg/kg |
| LD50 oral | 700 mg/kg mouse |
| LD50 dermal rat | 1500 mg/kg |

| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7) | |
|---|------------|
| LD50 oral rat | 1470 mg/kg |
| LD50 dermal rat | 2000 mg/kg |

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

| Alcohols, C12-14, ethoxylated (68439-50-9) | | |
|--|---------------------------------|--|
| NOAEL (oral, rat, 90 days) | ≥ 500 mg/kg bodyweight OECD 408 | |

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

No additional information available

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

. .

: Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term (acute)

: Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term

: Not classified (Based on available data, the classification criteria are not met)

(chronic)

Not rapidly degradable

Additional information

: No experimental study on the product is available. The information given is based on our

knowledge of the components and the classification of the product is determined by

calculation.

Sodium hydroxide (1310-73-2)

EC50 - Crustacea [1]

40.4 mg/l Ceriodaphnia sp.

Sodium xylenesulphonate (1300-72-7)

EC50 - Crustacea [1]

> 40.3 mg/l Daphnia magna

Alcohols, C12-14, ethoxylated (68439-50-9)

| LC50 - Fish [1] | 6.4 mg/l Danio rerio (Brachydanio rerio) |
|----------------------|--|
| LC50 - Fish [2] | 1.2 mg/l Cyprinus carpio |
| EC50 - Crustacea [1] | 1.2 mg/l Daphnia magna |
| EC50 - Crustacea [2] | 1.4 mg/l Daphnia magna |

Tetrapotassium pyrophosphate (7320-34-5)

| Total potassium pyrophisophiato (1920 04 0) | |
|---|--------------------------------|
| LC50 - Fish [1] | > 100 mg/l Oncorhynchus mykiss |
| EC50 - Crustacea [1] | > 100 mg/l Daphnia magna |
| EC50 72h - Algae [1] | > 100 mg/l |

12.2. Persistence and degradability

| _ | |
|--------|--------|
| Grease | Ructor |
| Grease | Dustei |

Persistence and degradability

Biodegradable.

12.3. Bioaccumulative potential

Grease Buster

Bioaccumulative potential

No bioaccumulation potential.

12.4. Mobility in soil

Grease Buster

Ecology - soil

Adsorbs into the soil.

12.5. Results of PBT and vPvB assessment

Grease Buster

The product does not meet the PBT and vPvB classification criteria

12.6. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to Regulation (EU) 2020/878

12.7. Other adverse effects

Other adverse effects : May cause pH changes in aqueous ecological systems

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Disposal via incineration is recommended. Disposal must be carried out using appropriate

EWC code.

Sewage disposal recommendations

: Do not dispose of waste into sewer. Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers. Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|--|----------------------------------|---------------|---------------|---------------|
| 14.1. UN number or ID n | umber | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.2. UN proper shippin | 14.2. UN proper shipping name | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard o | 14.3. Transport hazard class(es) | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | 14.4. Packing group | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental haz | 14.5. Environmental hazards | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acro | onyms: | |
|------------------------|---|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| ATE | Acute Toxicity Estimate | |
| BLV | Biological limit value | |
| CAS-No. | Chemical Abstract Service number | |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC50 | Median effective concentration | |
| EC-No. | European Community number | |
| EN | European Standard | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |

Safety Data Sheet

according to Regulation (EU) 2020/878

| SDS | Safety Data Sheet | |
|--------|--|--|
| vPvB | Very Persistent and Very Bioaccumulative | |
| WGK | Water Hazard Class | |
| BCF | Bioconcentration factor | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| IARC | International Agency for Research on Cancer | |
| OECD | Organisation for Economic Co-operation and Development | |
| STP | Sewage treatment plant | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| TLM | Median Tolerance Limit | |
| VOC | Volatile Organic Compounds | |
| N.O.S. | Not Otherwise Specified | |
| ED | Endocrine disrupting properties | |

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Supplier's

safety documents.

Training advice : Training staff on good practice.

Other information : SDS prepared by. H2 Compliance.

| Full text of H- and EUH-statem | nents: | |
|--------------------------------|--|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 | |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 | |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Met. Corr. 1 | Corrosive to metals, Category 1 | |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A | |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B | |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | |
| H290 | May be corrosive to metals. | |
| H302 | Harmful if swallowed. | |
| H312 | Harmful in contact with skin. | |
| H314 | Causes severe skin burns and eye damage. | |
| H315 | Causes skin irritation. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |

Safety Data Sheet

according to Regulation (EU) 2020/878

| H332 | Harmful if inhaled. | |
|------|--|--|
| H335 | May cause respiratory irritation. | |
| H400 | Very toxic to aquatic life. | |
| H412 | Harmful to aquatic life with long lasting effects. | |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|---|------|--------------------|
| Skin Irrit. 2 | H315 | Calculation method |
| Eye Dam. 1 | H318 | Calculation method |

Safety Data Sheet (SDS), EU_white

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.