

Safety Data Sheet according to Regulation (EU) 2020/878 Issue date: 10/2/2021 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form Trade name

: Mixture : Job Done Degreaser

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture

: Cleaning/washing agents

## 1.2.2. Uses advised against

Restrictions on use

: Any other purpose.

### 1.3. Details of the supplier of the safety data sheet

Emerald Clover Ltd. Drumduffy Drumkeeran N41 T998 Co. Leitrim - Ireland T +353-(0)71-96-48008 info@emeraldclover.ie - www.emeraldclover.ie

### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Full text of H statements : see section 16	

#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Signal word (CLP)
Contains
Hazard statements (CLP)

GHS05

: Danger

- 2-aminoethanol; Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.
- : H315 Causes skin irritation.

H318 - Causes serious eye damage.

# Safety Data Sheet

Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P280 - Wear protective gloves, protective clothing, eye protection, face protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER, a doctor.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P501 - Dispose of contents and container to an approved waste disposal plant.

# 2.3. Other hazards

The product does not meet the PBT and vPvB classification criteria

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

# Not applicable

# 3.2. Mixtures

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-aminoethanol	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8	≥ 1 – < 2.5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314
Tetrapotassium pyrophosphate	(CAS-No.) 7320-34-5 (EC-No.) 230-785-7	≥ 1 – < 2.5	Eye Irrit. 2, H319
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.	(CAS-No.) 85536-14-7 (EC-No.) 287-494-3	≥ 1 – < 2.5	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium xylenesulphonate	(CAS-No.) 1300-72-7 (EC-No.) 215-090-9	≥ 1 – < 2.5	Eye Irrit. 2, H319
Alcohols, C12-14, ethoxylated	(CAS-No.) 68439-50-9 (EC-No.) 500-213-3	≥ 0.5 – < 1	Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412
Sodium hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5	≥ 0.1 – < 0.25	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
2-aminoethanol	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8	( 5 ≤C ≤ 100) STOT SE 3, H335	
Sodium hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5	( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314	

Full text of H-statements: see section 16

# Safety Data Sheet

according to Regulation (EU) 2020/878

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. Seek medical attention immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
First-aid measures after skin contact	: If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: If swallowed, seek medical advice immediately and show this container or label. Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May cause severe burns.
Symptoms/effects after inhalation	: Cough. Shortness of breath. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation. Redness. Skin rash/inflammation. Itching.
Symptoms/effects after eye contact	: Causes serious eye damage. May cause dermatitis, eye irritation, corneal oedema and
	chemical burns. Can cause blindness. Serious damage to eyes.
Symptoms/effects after ingestion	: Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Abdominal
	pain, nausea.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Foam. Use extinguishing agent suitable for surrounding fire. Dry powder. Carbon dioxide.		
Unsuitable extinguishing media	: Do not use a heavy water stream.		
5.2. Special hazards arising from the subst	ance or mixture		
Fire hazard	: Burning produces irritating, toxic and noxious fumes.		
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.		
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Nitrogen oxides. Sulphur oxides.		
5.3. Advice for firefighters			
Precautionary measures fire	: Stop leak if safe to do so.		
Firefighting instructions	: Do not enter fire area without proper protective equipment, including respiratory protection. Exercise caution when fighting any chemical fire. Fight fire with normal precautions from a reasonable distance. Move containers away from the fire area if this can be done without risk. Use water spray or fog for cooling exposed containers.		
Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing. Wear fire/flame resistant/retardant clothing. EN 469. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

# Safety Data Sheet

according to Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid all contact with skin, eyes, or clothing. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Do not breathe vapours. Do not get in eyes, on skin, or on clothing. Evacuate unnecessary personnel. Do not touch or walk on the spilled product. Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Avoid breathing (dust, vapor, mist, gas). Ventilate area.
C.D. Environmental pressutions	

## 6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas. Notify authorities if product enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material. Stop leaks if it can be done without personal risk. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Absorb remaining liquid with sand or inert absorbent and remove to safe place.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage	

# 7.1. Precautions for safe handling

Precautions for safe handling	Ensure good ventilation of the work station. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Provide good ventilation in process area to prevent formation of vapour. Do not breathe spray, mist, vapours. Do not re-use container for any purpose. Empty containers retain product residue and can be hazardous.
Hygiene measures	Do not mix with other chemicals. Avoid contact with skin and eyes. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Keep away from food, drink and animal feedingstuffs.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store locked up. Keep away from food, drink and animal feedingstuffs. Store in original container or corrosive resistant and/or lined container. Keep container tightly closed. Containers which are opened should be properly resealed and kept upright to prevent leakage. Store away from other materials. do not store in unlabelled containers. Store in a well-ventilated place. Keep cool.
	: Oxidizing agent. Strong acids. Combustible materials. Metals.
•	: Direct sunlight. Heat sources.
Storage area	: Store in dry, cool, well-ventilated area.

### 7.3. Specific end use(s)

# Safety Data Sheet

according to Regulation (EU) 2020/878

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Job Done Degreaser		
EU - Indicative Occupational Exposure	EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-Aminoethanol	
IOEL TWA [ppm]	1 ppm	
IOEL STEL	7.6 mg/m <sup>3</sup>	
IOEL STEL [ppm]	3 ppm	
Notes	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OEL TWA [1]	2.5 mg/m <sup>3</sup>	
OEL TWA [2]	1 ppm	
OEL STEL	2 mg/m <sup>3</sup>	
OEL STEL [ppm]	3 ppm	
Notes (IE)	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2020	

Sodium hydroxide (1310-73-2)	
Ireland - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL STEL	2 mg/m <sup>3</sup>
Regulatory reference	Chemical Agents Code of Practice 2020

#### 8.1.2. Recommended monitoring procedures

## Monitoring methods

Monitoring methods	Workplace atmospheres. Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy. Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. Refer to all applicable national, international and local regulations or
	provisions.

# 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

# Safety Data Sheet

according to Regulation (EU) 2020/878

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Handle in accordance with good industrial hygiene and safety procedures.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment. **Personal protective equipment symbol(s)**:



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or face shield. EN 166. Do not wear contact lenses. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing. Impermeable boots and protective equipment. EN 943. Skin protection appropriate to the conditions of use should be provided

#### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves, natural rubber gloves. Butyl rubber. Neoprene. Breakthrough time: 6 (> 480 minutes). Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

#### Other skin protection

#### Materials for protective clothing:

PPE compliant to the recommended EN/ISO standards should be selected.

## 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. EN 143

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment. Prevent entry to sewers and public waters. Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	red.
Odour	:	Not available

# Safety Data Sheet

according to Regulation (EU) 2020/878

Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 1.11 g/cm <sup>3</sup> (20 °C)
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Very flammable gas (hydrogen)may be formed on contact with metals. May be corrosive to metals.

#### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids. Hazardous polymerisation: Will not occur.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Strong acids. Oxidizing agent. Combustible materials. Organic materials. Halogens. Metals.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Safety Data Sheet

according to Regulation (EU) 2020/878

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Sodium xylenesulphonate (1300-72-7)	
LD50 oral rat	> 7000 mg/kg
LD50 dermal rabbit	> 200 mg/kg

Alcohols, C12-14, ethoxylated (68439-50-9)	
LD50 oral rat	> 2000 mg/kg OECD 401, EU Method B.1, Safepharm standard Method Number OECD 39
LD50 dermal rat	> 2000 mg/kg OECD 402
LC50 Inhalation - Rat	> 1.6 mg/l air OECD 403

Tetrapotassium pyrophosphate (7320-34-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

2-aminoethanol (141-43-5)	
LD50 oral rat	1720 mg/kg
LD50 oral	700 mg/kg mouse
LD50 dermal rat	1500 mg/kg

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7)	
LD50 oral rat	1470 mg/kg
LD50 dermal rat	2000 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation Respiratory or skin sensitisation	<ul> <li>Causes serious eye damage.</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> </ul>
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)

Alcohols, C12-14, ethoxylated (68439-50-9)		
	NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight OECD 408
A	Aspiration hazard :	Not classified (Based on available data, the classification criteria are not met)

### 11.2. Information on other hazards

# Safety Data Sheet

according to Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Г

Ecology - general Hazardous to the aquatic environment, short-term (acute)	<ul> <li>Before neutralisation, the product may represent a danger to aquatic organisms.</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> </ul>
Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

Sodium hydroxide (1310-73-2)	
EC50 - Crustacea [1]	40.4 mg/l Ceriodaphnia sp.

Sodium xylenesulphonate (1300-72-7)	
EC50 - Crustacea [1]	> 40.3 mg/l Daphnia magna

Alcohols, C12-14, ethoxylated (68439-50-9)	
LC50 - Fish [1]	6.4 mg/l Danio rerio (Brachydanio rerio)
LC50 - Fish [2]	1.2 mg/l Cyprinus carpio
EC50 - Crustacea [1]	1.2 mg/l Daphnia magna
EC50 - Crustacea [2]	1.4 mg/l Daphnia magna

Tetrapotassium pyrophosphate (7320-34-5)	
LC50 - Fish [1]	> 100 mg/l Oncorhynchus mykiss
EC50 - Crustacea [1]	> 100 mg/l Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l

# 12.2. Persistence and degradability

Job Done Degreaser	
Persistence and degradability	Biodegradable.

## 12.3. Bioaccumulative potential

Job Done Degreaser	
Bioaccumulative potential	No bioaccumulation potential.

# 12.4. Mobility in soil

Job Done Degreaser	
Ecology - soil	Adsorbs into the soil.

# 12.5. Results of PBT and vPvB assessment

Job Done Degreaser

The product does not meet the PBT and vPvB classification criteria

# 12.6. Endocrine disrupting properties

# Safety Data Sheet

according to Regulation (EU) 2020/878

# 12.7. Other adverse effects

Other adverse effects	: May cause pH changes in aqueous ecological systems
Additional information	: Avoid release to the environment.

<b>SECTION 13: Disposal considerations</b>	
--	--

# 13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal via incineration is recommended. Disposal must be carried out using appropriate EWC code.
Sewage disposal recommendations Additional information Ecology - waste materials	<ul> <li>Do not dispose of waste into sewer. Disposal must be done according to official regulations.</li> <li>Do not re-use empty containers.</li> <li>Avoid release to the environment.</li> </ul>

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	L	L	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# 14.6. Special precautions for user

Overland transport Not applicable Transport by sea Not applicable Air transport Not applicable Inland waterway transport Not applicable Rail transport Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to Regulation (EU) 2020/878

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

# Safety Data Sheet

according to Regulation (EU) 2020/878

SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		
WGK	Water Hazard Class		
BCF	Bioconcentration factor		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
IARC	International Agency for Research on Cancer		
OECD	Organisation for Economic Co-operation and Development		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
N.O.S.	Not Otherwise Specified		
ED	Endocrine disrupting properties		

Data sources

C) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUN December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Supplier's safety documents.

Training advice Other information : Training staff on good practice.

: SDS prepared by. H2 Compliance.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	

# Safety Data Sheet

according to Regulation (EU) 2020/878

H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H412	Harmful to aquatic life with long lasting effects.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

Safety Data Sheet (SDS), EU\_white

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.