Product	Kettle Buster
<b>Revision date</b>	1 <sup>st</sup> April 2020
Revision	1



# Safety Data Sheet (SDS)

### Section 1: Identification of the substance/preparation and of the company/undertaking

#### **1.1 Product identifier**

Product name	Kettl
Synonyms, Trade names	No in

Kettle Buster No information available.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	No specific uses identified.
Uses advised against	No uses advised against are identified.

#### **1.3 Details of the supplier of the safety data sheet**

Supplier	Emerald Clover Ltd.
	Drumduffy
	Drumkeeran
	Co. Leitrim
	N41 T998
	Ireland
	Tel: 071 96 48008
Contact person	info@emeraldclover.ie
1.4 Emergency telephone number	
Emergency telephone	Emergency medical information: 8am-10pm (seven days) contact National Poisons
	Information Centre, Beaumont Hospital, Dublin 9. Tel 01 8092566

#### Section 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (EC 1272/2008)	
Physical and chemical hazards	Not classified
Human health	Skin Corr. 1B - H314, Eye Dam. 1 - H318
Environment	Not classified

#### 2.2 Label elements

#### Contains

Label in accordance with (EC) no. 1272/2008

phosphoric acid ... %, orthophosphoric acid ... %



Signal word

**Hazard statements** 

**Precautionary statements** 

H314 Causes severe skin burns and eye damage.

Prevention

Danger

P260 Do not breathe dust/fume/ gas/mist/vapours/spray.

P280 Wear protective gloves/ protective clothing/eye protection/face protection.

## Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician.

#### 2.3 Other hazards

None known.

### Section 3: Composition/identification of ingredients

#### 3.1 Substance

Not applicable.

#### 3.2 Mixtures

phosphoric acid %, orthophosphoric CAS-No.: 7664-38-2 acid % FC No.: 231-633-2 Skin Corr. 1B - H314 30-60%	Name	Product identifier	Reg. EU 1272/2008	%
		CAS-No.: 7664-38-2 EC No.: 231-633-2	Skin Corr. 1B - H314	30-60%

The full text for all hazard statements are displayed in section 16.

**Composition comments** 

The data shown are in accordance with the latest EC Directives.

## Section 4: First aid measures

#### **4.1 Description of first aid measures**

General information	Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor. Seek medical attention for all burns and eye injuries, regardless how minor they may seem. First aid personnel must be aware of own risk during rescue.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.
Ingestion	If this product is ingested, remove victim immediately from source of exposure. Rinse mouth thoroughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get medical attention. Never give anything by mouth to an unconscious person.
Skin contact	Remove victim immediately from source of exposure. Remove contaminated clothing, shoes and jewelry and wash before reuse. Wash the skin immediately with water. Obtain medical attention if irritation persists or if blistering occurs.
Eye contact	Do not rub eye. If this product contacts the eyes, gently flush eyes with water for at least fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove contact lenses if present and easy to do so. Avoid contaminating unaffected eye. Seek medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the
	length of exposure.
Inhalation	Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of
	breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.
Ingestion	Exposure to liquid product may cause moderate to severe irritation and possible burns to
	inner linings of mouth, esophagus and gastrointestinal tract.
Skin contact	Contact with liquid and mist may result in skin irritation and burns. Progressive ulceration
	will occur if treatment is not immediate.
Eye contact	Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal
-	burns may occur. May cause permanent damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician	Treat symptomatically.
------------------------	------------------------

#### **Section 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Extinguishing media Unsuitable extinguishing media	Use extinguishing media appropriate for surrounding fire - Dry chemicals, CO2, foam, water- spray. None noted.
5.2 Special hazards arising from the sub	stance or mixture
Hazardous combustion products	When heated, toxic and corrosive vapours/gases may be formed. During fire, toxic gases (CO, CO2) are formed.
Unusual fire & explosion hazards Specific hazards	No unusual fire or explosion hazards noted. If heated, harmful vapours may be formed.
5.3 Advice for firefighters	
Special fire fighting procedures	If possible, fight fire from protected position. Avoid breathing fire vapours. Ventilate closed spaces before entering them. Containers close to fire should be removed immediately or cooled with water if safe to do so.
Protective equipment for firefighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# Section 6: Accidental release measures

# **<u>6.1 Personal precautions, protective equipment and emergency procedures</u>**

Personal precautions For emergency responders	Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Eliminate all sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. In case of inadequate ventilation, use respiratory protection. Do not touch or walk through spilled material. If necessary evacuate surrounding areas. Follow safe handling advice and personal protective equipment recommendations for normal use of product.
6.2 Environmental precautions	
<b>Environmental precautions</b>	Do not discharge onto the ground or into water courses.
6.3 Methods and material for containme	ent and cleaning up
Spill clean up methods	Stop leak if possible without risk. DO NOT touch spilled material! When dealing with a spillage, wear necessary protective equipment. Eliminate all ignition sources. Ventilate and evacuate the area. Absorb spillage with non-combustible, inert absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage. Use non - metallic tools/containers for clean up.
6.4 Reference to other sections	
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.
Section 7: Handling and storage	
7.1 Precautions for safe handling	
Handling	Read and follow manufacturer's recommendations. Use proper personal protection when

Read and follow manufacturer's recommendations. Use proper personal protection when
handling (refer to Section 8). Do not handle broken packages without protective equipment.
Do not use contact lenses.
Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Do not eat, drink or smoke when using the product. Wash thoroughly after handling. Do not mix with other chemicals. Avoid contact with metals. To dilute, always pour the acid carefully into the water – never pour water into acid.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage precautions	Keep upright, locked up and out of reach of children. Keep the product in its original
	container. Store in cool dry areas away from direct sunlight or sources of ignition. Keep
	away from incompatible materials (see section 10).

## Storage class

Corrosive storage.

## 7.3 Specific end use(s)

Specific end use(s) Usage description The identified uses for this product are detailed in Section 1.2. Use only according to directions. Replace and tighten cap after use.

## Section 8: Exposure controls/Personal protection

### **8.1 Control parameters**

Component	STD	TWA (	8 Hrs)	STEL (1	5mins)	Notes
phosphoric acid %, orthophosphoric acid %	OEL		1 mg/m <sup>3</sup>		2 mg/m <sup>3</sup>	

Ingredient comments

Ireland, Occupational Exposure Limits 2018.

# 8.2 Exposure Controls



Engineering measures	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.
Respiratory equipment	If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/145/143/149. The specific respirator selected must be based on contamination levels found in the work place. Where risk assessment shows air-purifying respirators are appropriate a full face respirator conforming to EN143 should be used, and suitable respirator cartridges as a backup to engineering controls.
Hand protection	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be inspected prior to use. Consult manufacturer for advice. Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.
Eye protection	Wear safety goggles or face shield to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).
Other protection	Wear appropriate clothing to prevent skin contact. Acid resistant protective clothing. The selected clothing must satisfy the European norm standard EN 943. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handing this product.
Hygiene measures	Observe normal hygiene standards. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke. Wash hands after use.
Process conditions	Ensure that eye flushing systems and safety showers are located close by in the work place.

## Section 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance Colour Odour	Liquid. Pale purple. No odour information available.
Odour threshold - lower	No information available.
Odour threshold - upper	No information available.

pH-Value, Conc.	. Solution	1 - 2
pH-Value, Dilute	ed solution	No information available.
Melting point		No information available.
Initial boiling portion in the second	oint and boiling	No information available.
Flash point		No information available.
<b>Evaporation rat</b>	е	No information available.
Flammability st	ate	No information available.
Flammability lin	nit - lower(%)	No information available.
Flammability lin	nit - upper(%)	No information available.
Vapour pressure	e	No information available.
Vapour density	(air=1)	No information available.
Relative density	7	1.24 kg/l
Bulk density		No information available.
Solubility		No information available.
<b>Decomposition</b>	temperature	No information available.
Partition coeffice Octanol/Water	cient; n-	No information available.
Auto ignition te	mperature (°C)	No information available.
Viscosity		No information available.
Explosive prope	rties	Not classified as explosive.
Oxidising prope	rties	No information available.
9.2 Other informatio	<u>n</u>	
Molecular weigl	ht	No information available.
Volatile organic	compound	No information available.
Other informati	on	None noted.
Section 10: Stability	and reactivity	
10.1 Reactivity		
Reactivity		Stable under normal conditions.
10.2 Chemical stabil	ity	
Stability		Stable under normal temperature conditions and recommended use.
<b>10.3 Possibility of ha</b>	azardous reactions	
Hazardous react Hazardous polyn Polymerisation (	merisation	None under normal processing. Will not polymerise. Not applicable.
10.4 Conditions to A	void	
Conditions to as	bio	Heat sparks open flames temperature extremes and direct sunlight

Heat, sparks, open flames, temperature extremes and direct sunlight.

# **10.5 Incompatible materials**

Materials to avoid

Avoid strong oxidising agents. Strong acids.

## **10.6 Hazardous decomposition products**

Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

# Section 11: Toxicological information

## **11.1 Information on toxicological effects**

Toxicological information	No toxicological information for the overall finished product.
Acute toxicity (Oral LD50)	No information available.
Acute toxicity (Dermal LD50)	No information available.
Acute toxicity (Inhalation LD50)	No information available.
Serious eye damage/irritation	Causes severe skin burns and eye damage.
Skin corrosion/irritation	No information available.
<b>Respiratory sensitisation</b>	No information available.
Skin sensitisation	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Specific target organ toxicity - Sing	-
STOT - Single exposure	No information available.
Specific target organ toxicity - Repe	
Specific target organ toxicity - Repe STOT - Repeated exposure	No information available.
STOT - Repeated exposure	No information available.
	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of
STOT - Repeated exposure Inhalation	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.
STOT - Repeated exposure	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Exposure to liquid product may cause moderate to severe irritation and possible burns to
STOT - Repeated exposure Inhalation	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.
STOT - Repeated exposure Inhalation Ingestion	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract.
STOT - Repeated exposure Inhalation Ingestion	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract. Contact with liquid and mist may result in skin irritation and burns. Progressive ulceration will occur if treatment is not immediate. Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal
STOT - Repeated exposure Inhalation Ingestion Skin contact	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract. Contact with liquid and mist may result in skin irritation and burns. Progressive ulceration will occur if treatment is not immediate. Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal burns may occur. May cause permanent damage.
STOT - Repeated exposure Inhalation Ingestion Skin contact	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract. Contact with liquid and mist may result in skin irritation and burns. Progressive ulceration will occur if treatment is not immediate. Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal burns may occur. May cause permanent damage. When handling waste, consideration should be made to the safety precautions applying to
STOT - Repeated exposure Inhalation Ingestion Skin contact Eye contact	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract. Contact with liquid and mist may result in skin irritation and burns. Progressive ulceration will occur if treatment is not immediate. Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal burns may occur. May cause permanent damage.
STOT - Repeated exposure Inhalation Ingestion Skin contact Eye contact Waste management	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract. Contact with liquid and mist may result in skin irritation and burns. Progressive ulceration will occur if treatment is not immediate. Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal burns may occur. May cause permanent damage. When handling waste, consideration should be made to the safety precautions applying to handling of the product.
STOT - Repeated exposure Inhalation Ingestion Skin contact Eye contact Waste management Routes of entry	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract. Contact with liquid and mist may result in skin irritation and burns. Progressive ulceration will occur if treatment is not immediate. Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal burns may occur. May cause permanent damage. When handling waste, consideration should be made to the safety precautions applying to handling of the product. No information available.
STOT - Repeated exposure Inhalation Ingestion Skin contact Eye contact Waste management	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract. Contact with liquid and mist may result in skin irritation and burns. Progressive ulceration will occur if treatment is not immediate. Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal burns may occur. May cause permanent damage. When handling waste, consideration should be made to the safety precautions applying to handling of the product.
STOT - Repeated exposure Inhalation Ingestion Skin contact Eye contact Waste management Routes of entry Target organs	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract. Contact with liquid and mist may result in skin irritation and burns. Progressive ulceration will occur if treatment is not immediate. Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal burns may occur. May cause permanent damage. When handling waste, consideration should be made to the safety precautions applying to handling of the product. No information available.
STOT - Repeated exposure Inhalation Ingestion Skin contact Eye contact Waste management Routes of entry	No information available. Inhalation of mist or vapor may cause respiratory tract irritation. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Exposure to liquid product may cause moderate to severe irritation and possible burns to inner linings of mouth, esophagus and gastrointestinal tract. Contact with liquid and mist may result in skin irritation and burns. Progressive ulceration will occur if treatment is not immediate. Extreme irritation of eyes and mucous membranes, including burning and tearing. Corneal burns may occur. May cause permanent damage. When handling waste, consideration should be made to the safety precautions applying to handling of the product. No information available. Eyes and skin.

## Section 12: Ecological information

### **12.1 Toxicity**

Acute toxicity - Fish	No information available.
Acute toxicity - Aquatic invertebrate	<b>s</b> No information available.
Acute toxicity - Aquatic plants	No information available.
Acute toxicity - Microorganisms	No information available.
Chronic toxicity - Fish	No information available.
Chronic toxicity - Aquatic	No information available.
invertebrates	
Chronic toxicity - Aquatic plants	No information available.
Chronic toxicity - Microorganisms	No information available.
Ecotoxicity	No Ecological information on the finished product.
Eco toxilogical information	No ecological toxicity available on the overall finished product.

<b>12.2 Persistence and degradability</b>	
Degradability Biological oxygen demand Chemical oxygen demand	Biodegradable. No information available. No information available.
12.3 Bioaccumulative potential	
Bioaccumulative potential Bioaccumulation factor Partition coeffiicient; n- Octanol/Water	No bioaccumulation potential. No information available. No information available.
<u>12.4 Mobility in soil</u>	
Mobility	Readily absorbed into soil.
12.5 Results of PBT and vPvB assessme	<u>nt</u>
Results of PBT and vPvB assessmen	${f t}$ This product is not identified as a PBT/vPvB substance.
12.6 Other adverse effects	
Other adverse effects	Negligible ecotoxicity.
Section 13: Disposal considerations	
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
13.1 Waste treatment methods	
Disposal methods	Dispose of waste and residues in accordance with local authority requirements.
Section 14: Transport information	
14.1 UN number	
UN no. (ADR) UN no. (IMDG) UN no. (IATA)	UN3264 UN3264 UN3264
14.2 UN proper shipping name	
ADR proper shipping name IMDG proper shipping name IATA proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. ((Phosphoric Acid)) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. ((Phosphoric Acid)) CORROSIVE LIQUID, ACIDIC, INORGANIC N.O.S. ((Phosphoric Acid))
14.3 Transport hazard class(es)	
ADR class IMDG class IATA class	8 8 8
Transport labels	
<u>14.4 Packing group</u>	
ADR/RID/ADN packing group IMDG packing group IATA packing group	III III III

### **14.5 Environmental hazards**

ADR	No
IMDG	No
IATA	No

#### **14.6 Special precautions for user**

EMS	F-A, S-B
Emergency action code	A3 A803
Hazard no. (ADR)	80
Tunnel restriction code	(E)

### 14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

## Section 15: Regulatory information

### 15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th May 2010 amending regulation (EC) No 1907/2006.
Approved code of practice	2018 Code of Practice for the Chemical Agents Regulations in accordance with section 60 of the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005).
Chemical safety assessment	No chemical safety assessment has been carried out.

General information	This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010.
Revision comments	This is a first issue.
Revision date	1 <sup>st</sup> April 2020
Revision	1
Safety data sheet status	Approved.

#### **Hazard statements in full**

H314

Causes severe skin burns and eye damage.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.