ProductOven and Grill BusterRevision date1st April 2020Revision1



Safety Data Sheet (SDS)

Section 1: Identification of the substance/preparation and of the company/undertaking

1.1 Product identifier

Product name	Oven and Grill Buster			
Synonyms, Trade names	No information available.			

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning agent.			
Uses advised against	Any other purpose.			

1.3 Details of the supplier of the safety data sheet

Supplier	Emerald Clover Ltd. Drumduffy Drumkeeran Co. Leitrim N41 T998 Ireland
Contact person	Tel: 071 96 48008 info@emeraldclover.ie
1.4 Emergency telephone number	
Emergency telephone	Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9. Tel 01 8092566

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)	
Physical and chemical hazards	Not classified
Human health	Skin Corr. 1A - H314, Eye Dam. 1 - H318
Environment	Not classified

2.2 Label elements

Contains

Label in accordance with (EC) no. 1272/2008

Potassium hydroxide



Signal word

Hazard statements

H31

Precautionary statements

H314 Causes severe skin burns and eye damage.

Prevention

Danger

P280 Wear protective gloves/ protective clothing/eye protection/face protection. **Response**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. **Disposal** P501 Dispose of contents/ container to licenced waste disposal agent.

2.3 Other hazards

Store locked up. Keep out of reach of children.

Section 3: Composition/identification of ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Reg. EU 1272/2008	%
IPotassium hydroxide	CAS-No.: 1310-58-3 EC No.: 215-181-3	Acute Tox 4 - H302, Skin Corr. 1A - H314	10-30%
Isodium vylenesulnhonate	CAS-No.: 1300-72-7 EC No.: 215-090-9	Eye Irrit.2A - H319	1-10%

The full text for all hazard statements are displayed in section 16.

```
Composition comments
```

The data shown are in accordance with the latest EC Directives.

Section 4: First aid measures

4.1 Description of first aid measures

General information	Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor. Seek medical attention for all burns and eye injuries, regardless how minor they may seem. First aid personnel must be aware of own risk during rescue.
Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If not breathing, give artificial respiration. Get medical attention if necessary.
Ingestion	Provide fresh air, warmth and rest, preferably in comfortable upright sitting position. Rinse mouth thoroughly. If conscious, give half a litre of water to drink immediately. Get medical attention immediately. Never give anything by mouth to an unconscious person.
Skin contact	If this product contacts the skin, immediately flush the affected area with plenty of clean running water for at least fifteen (15) minutes. If the product penetrates the clothing, promptly remove the contaminated clothing or shoes, and flush the affected area as described. Do not attempt to remove any material bonded to skin. Seek medical attention immediately.
Eye contact	If the product contacts the eyes, immediately flush eyes with plenty of clean running water for at least fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Avoid contaminating unaffected eye. Remove contact lenses if worn. Get prompt medical attention. Continue to rinse.

4.2 Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependant of the concentration and the length of exposure.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Nausea and stomach pain may occur.
Ingestion	Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be vomiting. There may be bleeding from the mouth or nose.
Skin contact	Irritation or pain may occur at the site of contact. Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Severe burns may occur.
Eye contact	There may be severe pain. The eyes may water profusely. Corneal burns may occur. May cause permanent damage.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician	Immediate effects can be expected after short-term exposure. Provide general supportive
r j i i i i i i i i i i i i i i i i i i	

measures and treat symptomatically.

Section 5: Fire-fighting measures	
5.1 Extinguishing media	
Extinguishing media	Use fire-extinguishing media appropriate for surrounding materials. Foam or abundant water
Unsuitable extinguishing media	spray. None noted.
5.2 Special hazards arising from the sub	stance or mixture
Hazardous combustion products Unusual fire & explosion hazards	Combustion products may include and are not limited to: Potassium oxides. Fire may cause irritating or toxic fumes. Flammable hydrogen can form when the product contacts metals.
Specific hazards	Very flammable gas (hydrogen) may be formed on contact with metals. Water used for fire extinguishing, which has been in contact with the product, may be corrosive.
5.3 Advice for firefighters	
Special fire fighting procedures	Avoid breathing fire vapours. Keep up-wind to avoid fumes. Ventilate closed spaces before entering them. If possible, fight fire from protected position. Containers close to fire should be removed immediately or cooled with water if safe to do so.
Protective equipment for firefighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Section 6: Accidental release measures	

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions For emergency responders	Provide adequate ventilation. In case of inadequate ventilation, use respiratory protection. Eliminate all sources of ignition. Wear protective clothing as described in Section 8 of this safety data sheet. Evacuate and ventilate area. Do not touch or walk through spilled material. Avoid inhalation of vapours and contact wit skin and eyes. Read and follow manufacturer's recommendations. Follow safe handling advice and personal protective equipment recommendations for norm use of product.			
6.2 Environmental precautions				
Environmental precautions	Keep out of drains, municipal sewers, open bodies of water and water course.			
6.3 Methods and material for containme	ent and cleaning up			
Spill clean up methods	Ventilate and evacuate the area. Eliminate all ignition sources. DO NOT touch spilled material! Wear necessary protective equipment. Stop leak if possible without risk. Cover drains. In case of a large scale of spill, dyke area with sand to stop the spill spreading. Absorb spillage with non-combustible, absorbent material - sand. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container.			
6.4 Reference to other sections				
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.			

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling

Use proper personal protection when handling. Provide good ventilation. Avoid inhalation of vapours and contact with skin and eyes. Avoid inhalation of vapours and mists. Avoid prolonged or repeated contact.

Avoid contact with metals. Do not handle broken packages without protective equipment. Do not use contact lenses. Do not mix with other chemicals. Wash thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Storage class	Store in tightly closed original container in a cool, dry and well-ventilated place. Keep away from incompatible materials (see section 10). Corrosive storage.
<u>7.3 Specific end use(s)</u> Specific end use(s)	The identified uses are in section 1 of this Safety Data Sheet.
Usage description	Use only according to directions.

Section 8: Exposure controls/Personal protection

8.1 Control parameters

Component	STD	TWA (8 Hrs)		STEL (15mins)		Notes
Potassium hydroxide	OEL				2 mg/m ³	
Potassium hydroxide	WEL				2 mg/m ³	

Ingredient comments

Ireland, Occupational Exposure Limits 2016. Workplace Exposure Limits Guidance Note EH40/2005.

8.2 Exposure Controls



Engineering measures	Provide adequate ventilation, including appropriate local extraction, to ensure that the
	defined occupational exposure limit is not exceeded. Where necessary use lighting and
	electrical equipment designed for use in atmospheres where flammable vapours are present,
	and which can direct static electricity by grounding equipment.
Respiratory equipment	Use respirators and components tested and approved under appropriate government
	standards such as CEN (EU). Consult manufacturer for specific advice.
	Where risk assessment shows air-purifying respirators are appropriate a full face respirator
	conforming to EN 143 should be used, and suitable respirator cartridges as a backup to
	engineering controls. Suggested filter type: Type B-P2 or B-P3.
Hand protection	Where hand contact with the product may occur the use of gloves approved to relevant
	standards (e.g. Europe: EN374) is recommended. Suggested material: PVC. Neoprene.
	Natural rubber. Butyl rubber.
	Breakthrough time: >480 minutes. Consult manufacturer for specific advice. Use proper
	glove removal technique (without touching glove's outer surface) to avoid skin contact with
	this product.
Eye protection	Use equipment for eye protection tested and approved under appropriate government
	standards such as EN 166(EU). Wear tightly fitting safety goggles.
Other protection	Alkali resistant protective clothing. Protective clothing should be selected based on the task
	being performed and the risks involved and should be approved by a specialist before
	handling this product. The selected clothing must satisfy the European norm standard EN
	943.
Hygiene measures	DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before
	eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated.
	Promptly remove any clothing that becomes contaminated. When using do not eat, drink or
	smoke.
Process conditions	Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>9.1</u>	Information on basic physical and c	<u>nemical properties</u>
	Appearance Colour Odour	Liquid. Red No information available.
	Odour threshold - lower	No information available.
	Odour threshold - upper	No information available.
	pH-Value, Conc. Solution	No information available.
	pH-Value, Diluted solution	No information available.
	Melting point	No information available.
	Initial boiling point and boiling range	No information available.
	Flash point	No information available.
	Evaporation rate	No information available.
	Flammability state	No information available.
	Flammability limit - lower(%)	No information available.
	Flammability limit - upper(%)	No information available.
	Vapour pressure	No information available.
	Vapour density (air=1)	No information available.
	Relative density	1.11g/cm ³ @ 20.00 °C
	Bulk density	No information available.
	Solubility	Soluble.
	Decomposition temperature	No information available.
	Partition coeffiicient; n- Octanol/Water	No information available.
	Auto ignition temperature (°C)	No information available.
	Viscosity	No information available.
	Explosive properties	Not classified as explosive.
	Oxidising properties	No information available.
<u>9.2</u>	Other information	
	Molecular weight	No information available.
	Volatile organic compound	No information available.
	Other information	None noted.

Section 10: Stability and reactivity

10.1 Reactivity

Reactivity

In contact with metals generates hydrogen gas, which together with air can form explosive mixtures Reactions may occur with strong oxidizing agents and acids.

10.2 Chemical stability

Stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of hazardous reactions

Hazardous reactions Hazardous polymerisation Polymerisation description	For information on hazardous reactions see section 10.1. No information available. Unknown.
10.4 Conditions to Avoid Conditions to avoid	Keep away from heat, sparks and open flame.
10.5 Incompatible materials Materials to avoid	Oxidizing agents. Acids. Flammable or organic materials. Metals. Halogens.

10.6 Hazardous decomposition products

Hazardous decomposition products When heated, toxic and corrosive vapours/gases may be formed

Section 11: Toxicological information

11.1 Information on toxicological effects

Toxicological information	No toxicological information for the overall finished product.
Acute toxicity (Oral LD50) Acute toxicity (Dermal LD50) Acute toxicity (Inhalation LD50)	No information available. No information available. No information available.
Serious eye damage/irritation	Causes serious eye damage.
Skin corrosion/irritation	No information available.
Respiratory sensitisation Skin sensitisation	No information available. No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Specific target organ toxicity - Sing STOT - Single exposure Specific target organ toxicity - Repo STOT - Repeated exposure	No information available.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Nausea and
Inhalation Ingestion	stomach pain may occur. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There
	stomach pain may occur. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be vomiting. There may be bleeding from the mouth or nose. Irritation or pain may occur at the site of contact. Blistering may occur. Progressive
Ingestion	stomach pain may occur. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be vomiting. There may be bleeding from the mouth or nose. Irritation or pain may occur at the site of contact. Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Severe burns may occur. There may be severe pain. The eyes may water profusely. Corneal burns may occur. May
Ingestion Skin contact	stomach pain may occur. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be vomiting. There may be bleeding from the mouth or nose. Irritation or pain may occur at the site of contact. Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Severe burns may occur.
Ingestion Skin contact Eye contact	 stomach pain may occur. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be vomiting. There may be bleeding from the mouth or nose. Irritation or pain may occur at the site of contact. Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Severe burns may occur. There may be severe pain. The eyes may water profusely. Corneal burns may occur. May cause permanent damage. When handling waste, consideration should be made to the safety precautions applying to

Name	LD50 oral	LD50 dermal	LD50 inhalation
Potassium hydroxide	273.00mg/kg Rat		
sodium xylenesulphonate	>7000.00mg/kg Rat	>200.00mg/kg Rabbit	

Section 12: Ecological information

12.1 Toxicity	
Acute toxicity - Fish	No information available.
Acute toxicity - Aquatic invertebrat	t es No information available.
Acute toxicity - Aquatic plants	No information available.
Acute toxicity - Microorganisms	No information available.
Chronic toxicity - Fish	No information available.
Chronic toxicity - Aquatic	No information available.
invertebrates	
Chronic toxicity - Aquatic plants	No information available.
Chronic toxicity - Microorganisms	No information available.
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude
	the possibility that large or frequent spills can have a harmful or damaging effect on the
	environment. The product may affect the acidity (pH-factor) in water with risk of harmful
	effects to aquatic organisms.
Eco toxilogical information	No ecological toxicity available on the overall finished product.
12.2 Persistence and degradability	
Degradability	Biodegradable.
Biological oxygen demand	No information available.
Chemical oxygen demand	No information available.
12.3 Bioaccumulative potential	
Bioaccumulative potential	No bioaccumulation potential.
Bioaccumulation factor	No information available.
Partition coeffiicient; n-	No information available.
Octanol/Water	
12.4 Mobility in soil	
Mobility	Soluble in water.
u u u u u u u u u u u u u u u u u u u	
12.5 Results of PBT and vPvB assessme	<u>ent</u>

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB substances.

UN3267

12.6 Other adverse effects

UN no. (IATA)

Other adverse effects

No information available.

Name	Acute toxicity (Fish)	Acute toxicity (Aquatic invertebrates)	Acute toxicity (Aquatic plants)
sodium xylenesulphonate		EC50 48 Hours >40.30mg/l Daphnia magna	

Section 13: Disposal considerations	
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
13.1 Waste treatment methods	
Disposal methods	Dispose of waste and residues in accordance with local authority requirements, and in accordance with all local, national and international regulations.
Section 14: Transport information	
14.1 UN number	
UN no. (ADR)	UN3267
UN no. (IMDG)	UN3267


<u>14.2 UN proper shipping name</u>

ADR proper shipping name IMDG proper shipping name IATA proper shipping name

14.3 Transport hazard class(es)

ADR class	
IMDG class	
IATA class	

Transport labels



CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Potassium hydroxide)

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Potassium hydroxide)



14.4 Packing group

ADR/RID/ADN packing group IMDG packing group IATA packing group	II II II
14.5 Environmental hazards	
ADR	No
IMDG	No
IATA	No
14.6 Special precautions for user	

EMS	F-A, S-B
Emergency action code	A3 A803
Hazard no. (ADR)	80
Tunnel restriction code	(E)

14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 453/2010 of 20th May 2010 amending regulation (EC) No 1907/2006.
2016 Code of Practice for the Chemical Agents Regulations in accordance with section 60 of the Safety, Health and Welfare at Work Act 2005 (No. 10 of 2005).
Workplace Exposure Limits Guidance Note EH40/2005.
No chemical safety assessment has been carried out.

Section 16: Other information

General information	This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010
Revision comments	This is a first issue.
Revision date	1 st April 2020
Revision	1
Safety data sheet status	Approved.

Hazard statements in full

H302	
H314	
H319	

Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye irritation.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use. Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.